

WorkForce AL-C300TN

DATASHEET



For small and medium workgroups wanting to lower their printing costs, this printer delivers fast and high-quality results. With gigabit Ethernet connectivity and both PCL6 and PostScript 3 emulations, it offers easy business integration. High-yield toner packs also help to keep the cost of printing low, and double-packs of black toner are available for even better cost savings.

Fast, high-quality and low-cost printing

The AL-C300TN delivers ISO print speeds of up to 31ppm, in both mono and colour¹. Prints are delivered at 1200 x 1200 dpi for high-quality results, and 1GB of RAM as standard saves time on repeated print jobs.

Easy to use and energy efficient

Its LCD screen makes it easy to control advanced functions. A high toner yield of up to 7,300 pages in black and 8,800 pages in colour² not only makes your supplies go further, but it also means less time is wasted changing supplies. A double pack of black toner is also available. Not only is the AL-C300TN ENERGY STAR-qualified, it also has a very low power used of 1.3W when in deep sleep mode.

High durability

It has a duty cycle of up to 120,000 pages³, so businesses can be confident that their investment in the Epson range is a sound one.

Advanced connectivity, integration and security

PDL printer emulations including PCL6, PostScript 3 and PDF 1.7, along with the advanced IPv6 protocol and gigabit Ethernet support, make this printer ideal for business environments. Advanced IPsec and SSL support help improve security when printing sensitive materials, and print securely and confidentially with Email Print for Enterprise compatibility⁴.

KEY FEATURES

- **Fast printing**
ISO print speeds of up to 31ppm¹
- **PDL printer emulations**
Including PCL6, PostScript 3 and PDF 1.7
- **High toner yield**
Print up to 7,300 pages in black and 8,800 pages in colour
- **High paper capacity**
Holds up to 850 sheets
- **Reliable operation**
120,000 page duty cycle

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Resolution	1.200 x 1.200 dpi
Category	Department
PRINT	
Printing Speed	31 Pages/min Monochrome single-sided, 31 Pages/min Color single-sided
Max Duty cycle	120.000 Pages per month
First Page Out	Monochrome 12 Seconds
Warm Up time	38 s
CONNECTIVITY	
Interfaces	USB 2.0 Type B, USB host, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T)
Network Printing Protocols	LPR, FTP, IPP, Port 9100, WSD, Net BIOS over TCP/IP, TCP/IPv4, TCP/IPv6, IPsec
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SSDP, Ping, SLP, WSD, LLTD, TCP/IPv4, TCP/IPv6, IPsec, IEEE 802.1X
PAPER / MEDIA HANDLING	
Paper Formats	A4, A5, A6, B5, C6 (Envelope), DL (Envelope), LT, HLT, LGL, GLG, GLT, EXE, F4, User defined, Com-10
Duplex	No
Compatible Paper Weight	60 g/m ² - 210 g/m ²
Standard Paper input	850 Sheets Standard, 100 Sheets MP tray, 750 Sheets paper tray
Output Tray Capacity	200 Sheets
Paper Tray Capacity	850 Sheets Standard, 850 Sheets maximum
Number of Paper Trays	3 Trays
Maximum paper input	850
GENERAL	
Product dimensions	444 x 544 x 350 mm (Width x Depth x Height)
Product weight	34,5 kg
Power consumption	910 W (Max.), 475 W (Printing), 69 W (Ready), 2,8 W (sleep), 1,34 W spectextmanualdeepsleep
Temperature	Operation 10° C - 30° C
Humidity	Operation 15% - 85%, Storage 35% - 70%
Compatible Operating Systems	Linux, Mac OS X 10.6.8 or later, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows XP
Drivers	Printer driver (PCL6, PS3)
Safety Standards	IEC60950-1, EN60950-1, IEC60825-1, EN60825-1
EMC Standard	IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-8, IEC61000-4-11
EMI Standard	EN55022, EN55024, EN61000-3-2, EN61000-3-3
Included Software	EpsonNet Config
Sound Power	Operation: 6,9 B (A) - standby: 5,2 B (A)
Sound Pressure	Operation: 54 dB (A)-standby: 39 dB (A)
OTHER FEATURES	
Processor Speed	750 MHz
Memory	1 GB included, 1 GB maximum
Emulations	PCL5c, PCL5e, PCL6, PostScript 3, PDF 1.7
OTHER	
LCD screen	Type: Monochrome, 22 characters x 5 Lines

LOGISTICS INFORMATION

SKU	C11CE09401BW
EAN code	8715946544342
Pallet Size Euro	4 Units (2 x 2)

Epson Ibérica, S.A.U.
Tel.: 93 582 15 00
Tel.: 902 49 59 69 (Preventa)
Fax: 93 582 15 55

Central: Cerdanyola
Avda. Roma, 18-26
08290 Cerdanyola del Vallès (Barcelona)

www.epson.es

Las marcas comerciales o marcas registradas son propiedad de Seiko Epson Corporation o de sus respectivos propietarios. La información sobre los productos puede estar sujeta a modificación en función de las actualizaciones en sus especificaciones.

WorkForce AL-C300TN

WHAT'S IN THE BOX

- Main unit
- User manual (CD)
- Driver and utilities (CD)
- Software (CD)
- Warranty document
- Power cable

SUPPLIES

- Color Laser Paper A4 - 10 x 250Sh
C13S041163
- Color Laser Coated Paper A4 - 4 x 250Sh
C13S041373
- WorkForce AL-C300 Fuser Unit
C13S053061 (100.000 pages)
- WorkForce AL-C300 Yellow Toner Cartridge
C13S050747 (8.800 pages)
- WorkForce AL-C300 Magenta Toner Cartridge
C13S050748 (8.800 pages)
- WorkForce AL-C300 Black Toner Cartridge
C13S050750 (7.300 pages)
- WorkForce AL-C300 Cyan Toner Cartridge
C13S050749 (8.800 pages)
- WorkForce AL-C300 Black Double Toner Cartridge Pack
C13S050751 (14.600 pages)
- AL-C300/C3900N/CX37DN series Photoconductor Unit Yellow
C13S051201 (30.000 pages)
- AL-C300/C3900N/CX37DN series Photoconductor Unit Magenta
C13S051202 (30.000 pages)
- AL-C300/C3900N/CX37DN series Photoconductor Unit Cyan
C13S051203 (30.000 pages)
- AL-C300/C3900N/CX37DN series Photoconductor Unit Black
C13S051204 (30.000 pages)
- AL-C300/C3900N/CX37DN series Waste Toner Bottle 36k (Mono) / 9k (Colour)
C13S050595

1. Determined in accordance with ISO/IEC 24734 showing the average of ESAT / FSOT from the Office Category Test for default simplex /duplex. For more information visit www.epson.eu/testing 2. Approx. page yield based on ISO/IEC 19752/19798. For more information visit <http://www.epson.eu/pageyield> 3. The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities 4. Please visit www.epson.eu/epe for more information.

EPSON[®]